



DOCKET NO. JBP586

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: M. Seiberg et al.

Serial No.: 10/092,810

Art Unit: 1651

Filed : March 7, 2002

Examiner:

For : COMPOSITIONS AND METHODS FOR REGULATING PHAGOCYTOSIS AND  
ICAM-1 EXPRESSION

I hereby certify that this correspondence is being deposited with the  
United States Postal Service as first class mail in an envelope addressed  
to: Box Missing Parts, Commissioner for Patents, Washington, DC 20231 on

July 9, 2002

(Date of Deposit)

Andrea L. Colby

(Name of applicant, assignee, or Registered Representative)

*Andrea L. Colby*

(Signature)

July 9, 2002

(Date of Signature)

Commissioner for Patents  
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sir:

In accordance with 37 C.F.R. §1.52, a Substitute Specification  
is enclosed in order to improve the quality of the copy for scanning  
purposes. The Substitute Specification contains no new matter.

Additionally in accordance with 37 C.F.R. §1.84, substitute  
drawings are being enclosed in order to correct the deficiency in the  
margins.

Accordingly, favorable action is respectfully requested.

Respectfully submitted,


*Andrea L. Colby*

Andrea L. Colby

Reg. No. 30,194

Attorney for Applicant(s)

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-2792  
DATE: July 9, 2002



UNITED STATES PATENT AND TRADEMARK OFFICE

 COMMISSIONER FOR PATENTS  
 UNITED STATES PATENT AND TRADEMARK OFFICE  
 WASHINGTON, D.C. 20231  
 www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/092,810	03/07/2002	Miri Seiberg	JBP 586

 000027777  
 AUDLEY A. CIAMPORCERO JR.  
 JOHNSON & JOHNSON  
 ONE JOHNSON & JOHNSON PLAZA  
 NEW BRUNSWICK, NJ 08933-7003

RECEIVED

APR 15 2002

INVENT. DIV. SECTION

CONFIRMATION NO. 1963

FORMALITIES LETTER



\*OC00000007834354\*

Date Mailed: 04/09/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - The specification cannot be scanned or properly stored. Page(s)
    - Papers must be legibly written either by a typewriter or mechanical printer in permanent ink or its equivalent in portrait orientation on flexible, strong, smooth, non-shiny, durable, and white paper. Application papers must be presented in a form having sufficient clarity and contrast between the paper and the writing thereon to permit the direct reproduction of readily legible copies in any number by use of photographic, electrostatic, photo-offset, and microfilming processes and electronic reproduction by use of digital imaging and optical character recognition. Pages 1-61 are not in compliance with 37 CFR 1.52(a). *The drawings filed are unacceptable because:*  
*Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.*
- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
  - drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper which is flexible, strong, white, smooth, non-shiny, and

*Replaced*  
*Drawings*  
 6/9/02

durable (see 37 CFR 1.84(e));

---

*A copy of this notice **MUST** be returned with the reply.*



Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY